ALKALOID SUMMARY - Per 1 g of tested powder

Raw Pulverized Kratom Powder | Lot 7000

Supplemental calculation from this COA; not issued or certified by the laboratory.

Total mitragynine	**13.50 mg**
Total 7-hydroxymitragynine	**0.02170 mg**
Alkaloid ratio (mitragynine : 7-OH)	**~ 622.12 : 1**
Mitragynine concentration	**13.50 mg/g**
7-OH mitragynine concentration	**0.02170 mg/g**

Ratio calculated from the displayed totals; approximate because source results are rounded.
mg/g = w/w% x 10, or the lab-reported mg/g. No prepared-liquid volume is given; mg/mL is not calculated.

Certificate of Analysis

Customer Information

Client:	KCM Enterprises Florida LLC
Attention:	+1 (954) 655-8649
Address:	1762 NE 205th Ter
	Miami, FL 33179

Testing Facility

Lab:	Cora Science, LLC
Address	8000 Anderson Square, STE 113
	Austin, Texas 78757
Contact:	info@corascience.com
	(512) 856-5007

Sample Image(s)





Sample Information

Name:	Raw Pulverized Kratom Powder
Lot Number:	7000
Description:	Finely ground plant material
Condition:	Good
Job ID:	ISO05637
Sample ID:	I15615
Received:	01DEC2025
Completed:	03DEC2025
Issued:	04DEC2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD) **Method Code: T102** **Tested: 01DEC2025 | 1950**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.35	w/w%	0.0052	N/A
7-Hydroxymitragynine	Report Results	0.00217	w/w%	0.0014	N/A
Paynantheine	Report Results	0.256	w/w%	0.0052	N/A
Speciogynine	Report Results	0.189	w/w%	0.0052	N/A
Speciociliatine	Report Results	0.391	w/w%	0.0052	N/A
Total Mitragyna Alkaloids	Report Results	2.18	w/w%	0.0052	N/A

Elemental Impurities (ICP-MS) **Method Code: T301** **Tested: 02DEC2025 | 1248**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 2.00	0.815	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.026	ug/g	0.002	PASS
Mercury	NMT 0.20	0.010	ug/g	0.002	PASS
Lead	NMT 5.00	0.435	ug/g	0.002	PASS

Microbiological Examination **Method Code: T005** **Tested: 01DEC2025 | 1018**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	20	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	20	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Pesticides (GC-MS/MS) **Method Code: T401** **Tested: 02DEC2025 | 2209**

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Acephate	NMT 0.1	ND	mg/Kg	0.01	PASS
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.01	PASS
Azinphos-methyl	NMT 1	ND	mg/Kg	0.01	PASS
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.01	PASS
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.01	PASS
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.01	PASS
Deltamethrin	NMT 0.5	ND	mg/Kg	0.01	PASS
Diazinon	NMT 0.5	ND	mg/Kg	0.01	PASS
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.01	PASS
Dichlorvos	NMT 1	ND	mg/Kg	0.02	PASS
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.01	PASS
Omethaote	Report Results	ND	mg/Kg	0.01	N/A
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.10	PASS
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.05	N/A
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.05	N/A
Ethion	NMT 2	ND	mg/Kg	0.01	PASS
Etrimphos	NMT 0.05	ND	mg/Kg	0.01	PASS
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.02	PASS
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.01	N/A
Fenitrothion	NMT 0.5	ND	mg/Kg	0.01	PASS
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.01	PASS
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.04	PASS
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.01	N/A
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.01	N/A
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.01	N/A
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Fenthion oxon	Report Results	ND	mg/Kg	0.02	N/A
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.02	N/A
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.02	N/A
Fenthion sulfone	Report Results	ND	mg/Kg	0.02	N/A
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.02	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.01	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.01	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.01	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.02	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.01	N/A
Mecarbam	NMT 0.05	ND	mg/Kg	0.01	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.01	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.01	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.01	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.01	PASS
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.02	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.01	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.02	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.01	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.01	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Phosalone	NMT 0.1	ND	mg/Kg	0.01	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.01	PASS
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.03	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.02	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.01	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.01	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.01	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.05	PASS
Cinerin I	Report Results	ND	mg/Kg	0.05	N/A
Cinerin II	Report Results	ND	mg/Kg	0.05	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.05	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.05	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.05	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.05	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.01	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.01	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.01	PASS
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Dieldrin	Report Results	ND	mg/Kg	0.01	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.01	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.01	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.01	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.01	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.02	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.01	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.01	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.01	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.02	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.01	PASS
Cypermethrins	NMT 1	ND	mg/Kg	0.02	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.01	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.01	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.01	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.01	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.01	PASS
Endosulfans	NMT 3	ND	mg/Kg	0.01	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.01	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.01	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.01	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.01	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.02	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.02	N/A

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.01	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.01	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.01	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.01	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.01	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.01	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.01	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.01	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.01	N/A
trans-Permethrin	Report Results	ND	mg/Kg	0.01	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.01	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.09	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.02	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.05	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.01	PASS
S-421	NMT 0.02	ND	mg/Kg	0.01	PASS

Additional Report Notes

T401 performed by a registered outsourcing facility.

Revision History

rev 00 - Initial release.
rev 01 - Added T401 results.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature: Tyler West
Name: Tyler West
Position: Laboratory Director
Department: Management
Date: 04DEC2025

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.