



1945 S Fremont Drive
 Salt Lake City, Utah 84104
 Phone: 801.973.8824
 www.dyadlabs.com

Certificate Of Analysis

Ketoret Bio Naturals Inc
 96 W. 1800 W. #15
 Lindon, UT 84042 USA
 866.470.9592

Certificate ID 118840
 Report Date 11-24-2020
 Customer PO
 Receipt Date 08-11-2020
 Test Completion Date 08-17-2020
 Previous Certificate ID 107489
 Lab Sample ID 574497
 Serving Size N/A

Analytical Testing Results

Customer Lot 200650
 Description KRATOM POWDER / KETORET

Method USP <197>/GL-511

Analysis
 Client Reference Material Match

Test Type FTIR

Specification	Result	U/M
Cnfrm	Added to library %	

Method ^ USP <2021>/GL-411

Analysis
 Aerobic Plate Count

Test Type Aerobic Plate Count

Specification	Result	U/M
< 100000000	< 1000	cfu/g

Method ^ AOAC 991.14/GL-420

Analysis
 Coliforms

Test Type Coliforms

Specification	Result	U/M
< 100000	< 1000	cfu/g

Method ^ USP <2022>/GL-423

Analysis
 E. coli

Test Type E. coli

Specification	Result	U/M
Negative	Negative	/10g

Method ^ USP <2022>/GL-461

Analysis
 Salmonella

Test Type Salmonella

Specification	Result	U/M
Negative	Negative	/10g

Method ^ USP <2022>/GL-441

Analysis
 Staphylococcus aureus

Test Type Staphylococcus aureus

Specification	Result	U/M
Negative	Negative	/10g

Method ^ AOAC 2014.05/GL-451

Analysis
 Yeasts and Molds

Test Type Yeasts and Molds

Specification	Result	U/M
< 1000000	1000	cfu/g



1945 S. Fremont Drive
Salt Lake City, Utah 84104
Phone: 801.973.8824
www.dyadlabs.com

Laboratory Comments:

Certificate ID#: 118840

Reviewed By: Les Reeves

Approved By: 

Edgar Grigorian, VP of Technical Affairs
On Behalf of Dyad Labs

Laboratory Notes:

Samples were received in acceptable condition unless otherwise noted in the laboratory comments section. This report may not be distributed or reproduced except in full, without written permission from Dyad Labs. Client shall not at any time misrepresent or alter the contents of this report. Any violation of these conditions voids this report. Dyad Labs assumes no responsibility, and client hereby waives all claims against Dyad Labs, for interpretation of such results. The results apply only to the sample(s) provided by the client. All work is done in accordance with Dyad Labs Terms and Conditions of Sale. Full text available on www.dyadlabs.com/Terms

Result Symbol Definitions:

^ = ISO 17025 certified method

* = Analysis performed at a subcontract location